

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	(register adj1 renam\$3) near4 ((allocat\$3 or designat\$3 or stor\$3) near4 (entr\$3 or location\$3 or point\$3 or plac\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:10
L2	71	(register adj1 renam\$3) with ((allocat\$3 or designat\$3 or stor\$3) near4 (entr\$3 or location\$3 or point\$3 or plac\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:10
S1	693	712/216	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S2	651	712/217	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S3	701	712/218	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:03
S4	471	712/219	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:04
S5	0	(\$3dependenc\$3 near4 (signal\$1 or indication\$1 or bit\$1)) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:20
S6	7	(\$3dependenc\$3 near4 (signal\$1 or indication\$1 or bit\$1)) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:09
S7	22	(\$3dependenc\$3 near4 (signal\$1 or indication\$1 or bit\$1)) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 13:49
S8	51	(\$3dependenc\$3 near4 (signal\$1 or indication\$1 or bit\$1)) same (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 14:44
S9	1	(out?of?order) near4 (bypass\$3) near4 buffer\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:04
S10	1	(out?of?order) near4 (bypass\$3 or skip\$4 or jump\$3) near4 buffer\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:18

S11	0	(\$3dependenc\$3 ) near4 (buffer near4 address) near4 (active or true or high or set)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:30
S12	84	(\$3dependenc\$3) with (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:51
S13	22	(\$3dependenc\$3) near4 (buffer near4 address)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 15:51
S14	3	(out?of?order) near4 dependenc\$3 near4 buffer\$3 near4 execut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:05
S15	3	(out?of?order) near4 \$3dependenc\$3 near4 buffer\$3 near4 execut\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:05
S16	6	(out?of?order) with (\$3dependenc\$3 near4 buffer\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:07
S17	9	(out?of?order) with buffer\$3 with (\$3dependenc\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S18	114	buffer\$3 with (\$3dependenc\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S19	0	(temporary near4 buffer\$3) with (\$3dependenc\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:12
S20	62	((data or operand\$1) near4 buffer\$3) with (\$3dependenc\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:13
S21	60	((data or operand\$1) near4 buffer\$3) near4 (\$3dependenc\$3 near4 execut\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/18 16:13
S22	70	(register adj1 renam\$3) near4 (dependenc\$3 near4 check\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:54

S23	70	(register adj1 renam\$3) near4 (dependenc\$3 adj1 check\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:37
S24	0	(register adj1 renam\$3) near4 (dependenc\$3 near4 (signal\$1 or indication\$1 or bit\$1 or mark\$3 or sign\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:38
S25	27	(register adj1 renam\$3) with (dependenc\$3 near4 (signal\$1 or indication\$1 or bit\$1 or mark\$3 or sign\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:38
S26	230	(register adj1 renam\$3) near4 dependenc\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/31 08:02
S27	19	(register adj1 renam\$3) adj1 dependenc\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:55
S28	1	("5,497,499").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/05/24 14:55